


FASCETTE

CABLE STRAPS



FASCETTE STANDARD | Standard straps

FASCETTE PER CABLAGGI | Cable straps

MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale - Nero | Natural - Black


AUTOESTINGUENZA | UL FLAMMABILITY: V2 - UL 94

UL FILE | UL FILE: E 86244 (M)



P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A	
05201.07.10	75	2,2	15
05203.07.10	98	2,5	21
05212.07.10	120	4,5	24
05205.07.10	135	2,5	32
05209.07.10	140	3,5	35
05206.07.10	160	2,6	40
05211.07.10	160	4,5	40
05213.07.10	178	4,8	45
05207.07.10	200	2,6	52
05214.07.10	200	3,5	50
05215.07.10	200	4,8	50
05216.07.10	250	4,8	68
05210.07.10	290	3,5	80
05217.07.10	290	4,5	79
05219.07.10	360	4,5	103
05208.07.10	370	3,5	103

P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A	
05218.07.10	390	4,8	106
05220.07.10	430	4,5	115
05221.07.10	120	7,8	25
05223.07.10	180	7,8	45
05235.07.10	225	12,5	57
05225.07.10	240	7,8	63
05226.07.10	300	7,8	80
05227.07.10	365	7,5	100
05229.07.10	450	7,5	130
05237.07.10	500	12,5	143
05231.07.10	540	7,5	158
05239.07.10	720	12,5	213
05233.21.10	750	7,5	220
05234.07.10	780	9	233
05241.07.10	850	12,5	255
05243.07.10	1000	12,5	302



FASCETTE STANDARD | Standard straps

FASCETTE RIAPRIBILI | Reusable cable straps

MATERIALE | MATERIAL: Nylon 66 | PA 66


COLORI STANDARD | STANDARD COLOURS: Naturale - Nero | Natural - Black

AUTOESTINGUENZA | UL FLAMMABILITY: V2 - UL 94

UL FILE | UL FILE: E 86244 (M)




P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A	
05250.07.10	200	7,5	50
05252.07.10	250	7,5	65
05254.07.10	350	7,5	100




SUPERTENAX**MATERIALE** | MATERIAL: Nylon 66 | PA 66**COLORI STANDARD** | STANDARD COLOURS: Nero | Black**TESTINA SINGOLA** | *Single head* "SUPERTENAX"

P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A	
06501.07.11	200	8,8	40

**TESTINA DOPPIA** | *Double head* "SUPERTENAX"

P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A	
06502.07.11	290	8,8	70
06503.07.11	380	8,8	100




BELTURING

MATERIALE | MATERIAL: Nylon 66 | PA 66


COLORI STANDARD | STANDARD COLOURS: Nero | Black

TESTINA SINGOLA | *Single head* "BELTURING"

P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø	P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A			L	A	
06449.07.11	115	6,0	25	06451.07.11	180	9,0	40
06447.07.11	132	9,0	27	06452.07.11	290	6,0	78
06450.07.11	180	6,0	45	06454.07.11	360	6,0	100

TESTINA DOPPIA | *Double head* "BELTURING"


P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø	P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A			L	A	
06453.07.11	260	9,0	60	06456.07.11	510	9,0	140
06448.07.11	300	9,0	80	06457.07.11	760	9,0	220
06455.07.11	360	9,0	93				








ANCORAGGI PER FASCETTE | Cable straps anchorages

MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale - Nero | Natural - Black



P/N	DIMENSIONI Sizes				MAX LARGH FASCETTA Max strap width	FISSAGGIO Anchor	COLORE Colore	TIPO Type
	A	B	C	D				
00426.94.10	13,6	9,0	6,0	3,0	3,5	Vite Screw	Naturale Natural	
05460.07.10	10,0	19,0	6,0	4,1	4,8	Vite Screw	Naturale Natural	
05498.07.10	9,5	15,0	7,0	3,5	4,8	Vite Screw	Naturale Natural	
05496.07.10	14,6	22,5	11,0	5,0	9,0	Vite Screw	Nero Black	

P/N	DIMENSIONI Sizes			MAX LARGH FASCETTA Max strap width	FISSAGGIO Anchor	PANNELLO Panel		TIPO Type
	A	B	C			Ø FORO Hole	SPESSORE Thickness	
10430.21.10	21,0	18,3	10,0	8,0	Aggancio Anchor	6,2	0,8 ÷ 3,2	

ANCORAGGI PER FASCETTE | Cable straps anchorages

MATERIALE | MATERIAL: Nylon 66 - ABS | PA 66 - ABS

COLORI STANDARD | STANDARD COLOURS: Naturale - Nero | Natural - Black

A richiesta senza adesivo o con adesivo 3M | Without adhesive or with 3M adhesive on demand



P/N	DIMENSIONI Sizes			MAX LARGH FASCETTA Max strap width	FISSAGGIO Anchor	COLORE Colore	TIPO Type
	A	B	C				
A0993.96.10	25,0	25,0	6,0	7,8	Biadesivo - Vite Adhesive - Screw	Naturale Natural	MONODIREZIONALE
05467.07.60R	19,0	19,0	5,0	3,6	Biadesivo - Vite Adhesive - Screw	Naturale Natural	BIDIREZIONALE
05469.07.61R	19,0	19,0	5,0	3,6	Biadesivo - Vite Adhesive - Screw	Nero Black	
05473.07.60R	27,0	27	6,5	4,8	Biadesivo - Vite Adhesive - Screw	Naturale Natural	
05475.07.61R	27,0	27	6,5	4,8	Biadesivo - Vite Adhesive - Screw	Nero Black	

FASCETTE CON AGGANCIO | Cable straps with anchor


MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Nero | Black




AGGANCIO CENTRALE A PINETTO | Central xmas tree anchor

P/N	DIMENSIONI Sizes		PANELLO Panel		Ø MAX FASCIO CAVI Max cable Ø	RIAPRIBILE Reusable
	L	A	Ø FORO Hole	SPESSORE Thickness		
08921.05.11	186	4,8	6,5	0,7 ÷ 3,5	5 ÷ 45	NO




AGGANCIO IN TESTA | Head anchor

P/N	DIMENSIONI Sizes		PANELLO Panel		Ø MAX FASCIO CAVI Max cable Ø	RIAPRIBILE Reusable
	L	A	Ø FORO Hole	SPESSORE Thickness		
00082.95.10	100	4,8	6,5	0,6 ÷ 2,5	3 ÷ 20	SI
05719.70.10	100	6,0	6,5	0,6 ÷ 1,5	2 ÷ 20	NO
05447.21.10	137	4,9	6,5	0,6 ÷ 2,0	6 ÷ 35	SI
02651.70.10	140	6,5	6,0 ÷ 6,5	0,6 ÷ 2,5	8 ÷ 36	SI
09363.05.11	160	4,5	6,5	0,7 ÷ 3,0	1,5 ÷ 35	NO



P/N	DIMENSIONI Sizes					PANNELLO Panel	
	A	B	C	D	E	Ø FORO Hole	SPESSORE Thickness
00097.95.11	6	84	105,5	8,5	18	Ø 6,5	0,6 ÷ 2,0



FASCETTE CON AGGANCIAMENTO | Cable straps with anchor


MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale - Nero | Natural - Black




AGGANCIAMENTO IN TESTA | Head anchor

P/N	DIMENSIONI Sizes		PANNELLO Panel		Ø MAX FASCIO CAVI Max cable Ø	Riapribile Reusable
	L	A	Ø FORO Hole	SPESSORE Thickness		
52155.07.10M	150	3,5	5,2	2,7	1,5 ÷ 38	NO
52205.07.10M	200	4,5	6,3	3,0	2 ÷ 50	NO




AGGANCIAMENTO CENTRALE A RIVETTO | Central rivet anchor

P/N	DIMENSIONI Sizes		PANNELLO Panel		Ø MAX FASCIO CAVI Max cable Ø	Riapribile Reusable
	L	A	Ø FORO Hole	SPESSORE Thickness		
02207.94.11	160	7,0	8,0	0,5 ÷ 3,0	8 ÷ 40	SI



AGGANCIAMENTO PER BORDO LAMIERA | Panel edge anchor

P/N	DIMENSIONI Sizes		PANNELLO Panel		Ø MAX FASCIO CAVI Max cable Ø	Riapribile Reusable
	L	A	Ø FORO Hole	SPESSORE Thickness		
08848.05.11A	195	4,8	-	0,7 ÷ 2,5	5 ÷ 40	NO
A9451.96.11	195	4,8	-	0,7 ÷ 2,5	5 ÷ 40	NO



FASCETTE CON AGGANCIAMENTO | Cable straps with anchor


MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale | Natural

AUTOESTINGUENZA | UL FLAMMABILITY: V2 - UL 94



P/N	DIMENSIONI Sizes		Ø MAX DIAMETRO Max diameter Ø	PANNELLO Panel		RIAPRIBILE Reusable
	L	A		Ø FORO Hole	SPESSORE Thickness	
04778.21.10	110	2,5	22	Ø 4,8	1,0 ÷ 2,4	NO
04779.21.10	130	3,3	28	Ø 4,0	1,0 ÷ 2,0	NO
04773.21.10	135	4,8	25	Ø 6,4	1,0 ÷ 3,2	NO
04775.21.10	175	4,8	38	Ø 6,4	1,0 ÷ 3,2	NO
04776.21.10	203	4,8	45	Ø 6,4	max 3,2	NO
00065.85.10C	100	4,5	18	6,2 ÷ 6,5	0,8 ÷ 2	NO
06638.65.31	140	8,0	32	7,0	0,7 ÷ 2,4	SI
07160.65.11	173	8,0	35	8,0	2,5 ÷ 4,0	SI
09085.05.11A	206	5,0	45	8,0	0,7 ÷ 3,5	NO



FASCETTE CON AGGANCIAMENTO A PINETTO | Cable straps with tree anchor

MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale - Nero | Natural - Black

AUTOESTINGUENZA | UL FLAMMABILITY: V2 - UL 94

UL FILE | UL FILE: E 86244 (M)

CONFORMITÀ NORME | MIL standards: MIL S 23190 E

OMOLOGAZIONE: RI.NA n° 5/043/93



P/N	DIMENSIONI Sizes			Pannello Panel		
	L	W	F	Ø FORO Hole	Spessore Thickness	Riapribile Riusable
00091.94.11T	207	4,8	8,0	6,0 ÷ 6,5	3,0 ÷ 6,0	NO




FASCETTE CON FISSAGGIO A VITE | Screw mounting cable straps

MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale | Natural




P/N	DIMENSIONI Sizes			Ø MAX FASCIO CAVI Max cable Ø
	L	A	D	
52150.21.10	152	3,6	4,9	32
52200.07.10S	200	4,8	5,2	50
52200.07.10H	200	7,8	6,5	44
52300.07.10H	300	7,8	6,5	75
52380.07.10H	380	7,8	6,5	104



P/N	DIMENSIONI Sizes						Ø MAX FASCIO CAVI Max cable Ø	TIPO Type
	A	B	C	L	S	D		

00107.94.10	10,0	8,4	10,0	21,0	1,2	4,2	6,0
-------------	------	-----	------	------	-----	-----	-----





FASCETTE CON FISSAGGIO A VITE | Screw mounting cable straps

MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale | Natural



P/N	DIMENSIONI Sizes		TIPO Type
	D	E	
12002.16.10	3,2	8,4	
12003.16.10	4,8	10,9	
12004.16.10	6,4	10,4	
12005.16.10	7,9	12,6	
12006.16.10	9,5	15,1	
12007.16.10	11,1	14,6	
12008.16.10	12,7	15,4	

P/N	DIMENSIONI Sizes		TIPO Type
	D	E	
12009.16.10	3,2	8,0	
12010.16.10	4,8	10,8	
12011.16.10	6,4	10,4	
12012.16.10	7,9	12,7	
12013.16.10	9,5	13,5	
12014.16.10	11,1	14,2	
12015.16.10	12,7	15,1	
12016.16.10	14,3	15,4	
12017.16.10	15,9	16,6	
12018.16.10	17,5	19,2	
12019.16.10	19,1	19,8	
12020.16.10	22,2	21,5	
12021.16.10	25,4	23,1	
12022.16.10	28,6	24,6	

