PASSACAVI

CABLE BUSHINGS


PASSACAVI STANDARD | Standard cable bushings PASSACAVI APERTI | Open cable bushings

PASSACAVI IN PLASTICA | Plastic cable bushings

PASSACAVI STANDARD CON MEMBRANA CENTRALE Standard cable bushings with central membrane

PASSACAVI STANDARD CON MEMBRANA DECENTRATA Standard cable bushings with decentralized membrane

PASSACAVI STANDARD CON MEMBRANA FORATA Standard cable bushings with perforated membrane







MATERIALE | MATERIAL: PVC | PVC



P/N		DIN	MENSIONI S	Sizes		P/N	DIMENSIONI Sizes					
P/N	А	В	D	d	Н	P/N	А	В	D	d	Н	
10000.53.51	11,0	1,0	14,0	8,0	6,0	10033.53.51	10,0	3,0	14,0	7,0	9,0	
10010.53.51	8,5	2,5	14,0	6,0	7,0	10034.53.51	10,0	4,0	14,0	7,0	10,0	
10020.53.51	10,0	2,0	14,0	3,0	8,0	10035.53.51	10,0	2,0	14,0	8,0	8,0	
10021.53.51	10,0	3,0	14,0	3,0	9,0	10036.53.51	10,0	3,0	14,0	8,0	9,0	
10022.53.51	10,0	4,0	14,0	3,0	10,0	10037.53.51	10,0	4,0	14,0	8,0	10,0	
10023.53.51	10,0	2,0	14,0	4,0	8,0	10050.53.51	11,5	1,2	14,5	8,5	8,0	
10024.53.51	10,0	3,0	14,0	4,0	9,0	10060.53.51	10,0	1,5	14,5	8,0	6,0	
10025.53.51	10,0	4,0	14,0	4,0	10,0	10070.53.51	11,5	2,0	14,5	4,0	10,0	
10026.53.51	10,0	2,0	14,0	5,0	8,0	10071.53.51	11,5	3,0	14,5	4,0	11,0	
10027.53.51	10,0	3,0	14,0	5,0	9,0	10072.53.51	11,5	4,0	14,5	4,0	12,0	
10028.53.51	10,0	4,0	14,0	5,0	10,0	10073.53.51	11,5	2,0	14,5	5,0	10,0	
10029.53.51	10,0	2,0	14,0	6,0	8,0	10074.53.51	11,5	3,0	14,5	5,0	11,0	
10030.53.51	10,0	3,0	14,0	6,0	9,0	10075.53.51	11,5	4,0	14,5	5,0	12,0	
10031.53.51	10,0	4,0	14,0	6,0	10,0	10076.53.51	11,5	2,0	14,5	6,0	10,0	
10032.53.51	10,0	2,0	14,0	7,0	8,0	10077.53.51	11,5	3,0	14,5	6,0	11,0	



MATERIALE | MATERIAL: PVC | PVC



D/M	DIMENSIONI Sizes			P/N	DIMENSIONI Sizes						
P/N	Α	В	D	d	Н	P/N	А	В	D	d	Н
10078.53.51	11,5	4,0	14,5	6,0	12,0	10102.53.51	11,0	1,5	15,0	6,0	7,5
10079.53.51	11,5	2,0	14,5	7,0	10,0	10103.53.51	11,0	1,5	15,0	7,0	7,5
10080.53.51	11,5	3,0	14,5	7,0	11,0	10104.53.51	11,0	1,5	15,0	8,0	7,5
10081.53.51	11,5	4,0	14,5	7,0	12,0	10105.53.51	11,0	1,5	15,0	9,0	7,5
10082.53.51	11,5	2,0	14,5	8,0	10,0	10110.53.51	10,0	1,5	15,0	2,0	6,0
10083.53.51	11,5	3,0	14,5	8,0	11,0	10111.53.51	10,0	1,5	15,0	3,0	6,0
10084.53.51	11,5	4,0	14,5	8,0	12,0	10112.53.51	10,0	1,5	15,0	4,0	6,0
10085.53.51	11,5	2,0	14,5	9,0	10,0	10113.53.51	10,0	1,5	15,0	5,0	6,0
10086.53.51	11,5	3,0	14,5	9,0	11,0	10114.53.51	10,0	1,5	15,0	6,0	6,0
10087.53.51	11,5	4,0	14,5	9,0	12,0	10115.53.51	10,0	1,5	15,0	7,0	6,0
10088.53.51	11,5	2,0	14,5	10,0	10,0	10116.53.51	10,0	1,5	15,0	8,0	6,0
10089.53.51	11,5	3,0	14,5	10,0	11,0	10130.53.51	11,0	0,5	16,0	3,0	6,0
10090.53.51	11,5	4,0	14,5	10,0	12,0	10131.53.51	11,0	1,5	16,0	3,0	7,0
10100.53.51	11,0	1,5	15,0	4,0	7,5	10132.53.51	11,0	2,5	16,0	3,0	8,0
10101.53.51	11,0	1,5	15,0	5,0	7,5	10133.53.51	11,0	0,5	16,0	4,0	6,0



MATERIALE | MATERIAL: PVC | PVC



D/N	DIMENSIONI Sizes				P/N		DIMENSIONI Sizes					
P/IN	A	В	D	d	Н	P/N	Α	В	D	d	Н	
10134.53.51	11,0	1,5	16,0	4,0	7,0	10149.53.51	11,0	1,5	16,0	9,0	7,0	
10135.53.51	11,0	2,5	16,0	4,0	8,0	10150.53.51	11,0	2,5	16,0	9,0	8,0	
10136.53.51	11,0	0,5	16,0	5,0	6,0	10151.53.51	10,0	1,5	16,0	7,0	7,0	
10137.53.51	11,0	1,5	16,0	5,0	7,0	10157.53.51	11,5	3,0	16,0	4,0	8,0	
10138.53.51	11,0	2,5	16,0	5,0	8,0	10158.53.51	11,5	3,0	16,0	5,0	8,0	
10139.53.51	11,0	0,5	16,0	6,0	6,0	10159.53.51	11,5	3,0	16,0	6,0	8,0	
10140.53.51	11,0	1,5	16,0	6,0	7,0	10160.53.51	11,5	3,0	16,0	7,0	8,0	
10141.53.51	11,0	2,5	16,0	6,0	8,0	10161.53.51	11,5	3,0	16,0	8,0	8,0	
10142.53.51	11,0	0,5	16,0	7,0	6,0	10170.53.51	12,0	1,5	17,0	4,0	7,0	
10143.53.51	11,0	1,5	16,0	7,0	7,0	10171.53.51	12,0	1,5	17,0	5,0	7,0	
10144.53.51	11,0	2,5	16,0	7,0	8,0	10172.53.51	12,0	1,5	17,0	6,0	7,0	
10145.53.51	11,0	0,5	16,0	8,0	6,0	10173.53.51	12,0	1,5	17,0	7,0	7,0	
10146.53.51	11,0	1,5	16,0	8,0	7,0	10174.53.51	12,0	1,5	17,0	8,0	7,0	
10147.53.51	11,0	2,5	16,0	8,0	8,0	10175.53.51	12,0	1,5	17,0	9,0	7,0	
10148.53.51	11,0	0,5	16,0	9,0	6,0	10176.53.51	12,0	1,5	17,0	10,0	7,0	



MATERIALE | MATERIAL: PVC | PVC



D/N		DIM	MENSIONI S	Sizes		D/N		DIM	MENSIONI S	Sizes	
P/N	Α	В	D	d	Н	P/N	А	В	D	d	Н
10180.53.51	13,5	2,0	17,5	10,0	7,0	10202.53.51	15,0	1,5	18,5	11,0	8,0
10181.53.51	13,5	3,0	17,5	10,0	8,0	10203.53.51	15,0	2,5	18,5	11,0	9,0
10182.53.51	13,5	4,0	17,5	10,0	9,0	10204.53.51	15,0	3,5	18,5	11,0	10,0
10190.53.51	15,0	1,5	18,5	7,0	8,0	10205.53.51	15,0	1,5	18,5	12,0	8,0
10191.53.51	15,0	2,5	18,5	7,0	9,0	10206.53.51	15,0	2,5	18,5	12,0	9,0
10192.53.51	15,0	3,5	18,5	7,0	10,0	10207.53.51	15,0	3,5	18,5	12,0	10,0
10193.53.51	15,0	1,5	18,5	8,0	8,0	10208.53.51	15,0	1,5	18,5	13,0	8,0
10194.53.51	15,0	2,5	18,5	8,0	9,0	10209.53.51	15,0	2,5	18,5	13,0	9,0
10195.53.51	15,0	3,5	18,5	8,0	10,0	10210.53.51	15,0	3,5	18,5	13,0	10,0
10196.53.51	15,0	1,5	18,5	9,0	8,0	10220.53.51	15,0	1,5	19,0	12,0	8,0
10197.53.51	15,0	2,5	18,5	9,0	9,0	10221.53.51	15,0	2,5	19,0	12,0	9,0
10198.53.51	15,0	3,5	18,5	9,0	10,0	10222.53.51	15,0	3,5	19,0	12,0	10,0
10199.53.51	15,0	1,5	18,5	10,0	8,0	10230.53.51	14,0	3,0	20,0	12,0	9,0
10200.53.51	15,0	2,5	18,5	10,0	9,0	10231.53.51	14,0	3,0	20,0	10,0	9,0
10201.53.51	15,0	3,5	18,5	10,0	10,0	10235.53.51	15,0	3,0	22,0	10,0	9,0



MATERIALE | MATERIAL: PVC | PVC



P/N		DIM	IENSIONI S	izes	
F/IN	Α	В	D	d	Н
10265.53.51	4,8	1,6	8,0	3,2	6,4
10270.53.51	6,0	1,5	10,0	3,0	5,5
10271.53.51	6,0	1,5	10,0	3,5	5,5
10272.53.51	6,0	1,5	10,0	4,0	5,5
10273.53.51	6,0	1,5	10,0	4,5	5,5
10274.53.51	6,0	1,5	10,0	5,0	5,5
10275.53.51	6,0	2,0	10,0	3,0	6,0
10276.53.51	6,0	2,0	10,0	3,5	6,0
10277.53.51	6,0	2,0	10,0	4,0	6,0
10278.53.51	6,0	2,0	10,0	4,5	6,0
10279.53.51	6,0	2,0	10,0	5,0	6,0
10280.53.51	6,0	3,0	10,0	3,0	7,0
10281.53.51	6,0	3,0	10,0	3,5	7,0
10282.53.51	6,0	3,0	10,0	4,0	7,0
10283.53.51	6,0	3,0	10,0	4,5	7,0
10284.53.51	8,0	3,0	10,0	5,0	7,0

P/N		DIM	IENSIONI S	izes	
P/N	Α	В	D	d	Н
10285.53.51	7,5	3,25	10,0	4,0	8,0
10290.53.51	8,0	2,5	12,0	5,0	7,0
10300.53.51	8,0	3,0	12,0	3,0	7,0
10301.53.51	8,0	3,0	12,0	4,0	7,0
10302.53.51	8,0	3,0	12,0	5,0	7,0
10303.53.51	8,0	3,0	12,0	6,0	7,0
10304.53.51	8,0	3,5	12,0	3,0	7,5
10305.53.51	8,0	3,5	12,0	4,0	7,5
10306.53.51	8,0	3,5	12,0	5,0	7,5
10307.53.51	8,0	3,5	12,0	6,0	7,5
10308.53.51	8,0	2,0	12,0	3,0	6,0
10309.53.51	8,0	2,0	12,0	4,0	6,0
10310.53.51	8,0	2,0	12,0	5,0	6,0
10311.53.51	8,0	2,0	12,0	6,0	6,0
10312.53.51	9,0	1,0	12,0	6,0	5,0



MATERIALE | MATERIAL: PVC | PVC



P/N		DIN	IENSIONI S	izes	
F/IN	Α	В	D	d	Н
10450.53.51	23,0	2,0	28,0	19,0	8,0
10451.53.51	23,0	3,0	28,0	19,0	9,0
10452.53.51	23,0	4,0	28,0	19,0	10,0
10460.53.51	24,0	2,0	32,0	15,5	8,5
10461.53.51	24,0	3,0	32,0	15,5	9,5
10462.53.51	24,0	4,0	32,0	15,5	10,5
10463.53.51	24,0	2,0	32,0	17,5	8,5
10464.53.51	24,0	3,0	32,0	17,5	9,5
10465.53.51	24,0	4,0	32,0	17,5	10,5
10466.53.51	24,0	2,0	32,0	19,5	8,5
10467.53.51	24,0	3,0	32,0	19,5	9,5
10468.53.51	24,0	4,0	32,0	19,5	10,5
10470.53.51	26,0	2,0	35,0	18,0	8,5
10471.53.51	26,0	3,0	35,0	18,0	9,5
10472.53.51	26,0	4,0	35,0	18,0	10,5
10473.53.51	26,0	2,0	35,0	20,0	8,5

P/N		DIM	ENSIONI S	iizes	
P/N	А	В	D	d	Н
10474.53.51	26,0	3,0	35,0	20,0	9,5
10475.53.51	26,0	4,0	35,0	20,0	10,5
10476.53.51	26,0	2,0	35,0	22,0	8,5
10477.53.51	26,0	3,0	35,0	22,0	9,5
10478.53.51	26,0	4,0	39,0	22,0	10,5
10490.53.51	34,0	2,0	39,0	28,0	7,0
10491.53.51	34,0	3,0	39,0	28,0	8,0
10492.53.51	34,0	4,0	39,0	28,0	9,0
10500.53.51	39,0	2,0	45,0	35,0	7,0
10501.53.51	39,0	3,0	45,0	35,0	8,0
10502.53.51	39,0	4,0	45,0	35,0	9,0
10510.53.51	11,0	9,0	14,0	5,0	15,0
10511.53.51	11,0	9,0	14,0	6,0	15,0
10512.53.51	11,0	9,0	14,0	7,0	15,0
10513.53.51	11,0	9,0	14,0	8,0	15,0



MATERIALE | MATERIAL: PVC | PVC



P/N		DIM	IENSIONI S	izes	
F/IN	Α	В	D	d	Н
10520.53.51	10,0	6,0	15,0	8,0	12,0
10521.53.51	10,0	6,0	15,0	6,0	12,0
10530.53.51	11,5	8,0	17,5	4,0	13,5
10531.53.51	11,5	8,0	17,5	5,0	13,5
10532.53.51	11,5	8,0	17,5	6,0	13,5
10533.53.51	11,5	8,0	17,5	7,0	13,5
10534.53.51	11,5	8,0	17,5	8,0	13,5
10535.53.51	11,5	8,0	17,5	9,0	13,5
10536.53.51	11,5	8,0	17,5	10,0	13,5
10540.53.51	13,0	5,0	20,0	9,0	10,0
10550.53.51	13,5	10,0	16,0	5,0	14,0
10551.53.51	13,5	10,0	16,0	6,0	14,0
10552.53.51	13,5	10,0	16,0	7,0	14,0
10553.53.51	13,5	10,0	16,0	8,0	14,0
10554.53.51	13,5	10,0	16,0	9,0	14,0
10555.53.51	13,5	10,0	16,0	10,0	14,0

P/N		DIM	IENSIONI S	izes	
P/N	Α	В	D	d	Н
10570.53.51	13,0	7,0	16,0	2,0	13,0
10571.53.51	13,0	7,0	16,0	4,0	13,0
10572.53.51	13,0	7,0	16,0	6,0	13,0
10573.53.51	13,0	7,0	16,0	8,0	13,0
10574.53.51	13,0	7,0	16,0	10,0	13,0
10580.53.51	15,0	5,0	21,0	6,0	10,0
10581.53.51	15,0	5,0	21,0	7,0	10,0
10582.53.51	15,0	5,0	21,0	8,0	10,0
10583.53.51	15,0	5,0	21,0	9,0	10,0
10584.53.51	15,0	5,0	21,0	10,0	10,0
10585.53.51	15,0	5,0	21,0	11,0	10,0
10586.53.51	15,0	5,0	21,0	12,0	10,0
10600.53.51	21,0	7,0	26,0	12,0	14,0
10601.53.51	21,0	7,0	26,0	13,0	14,0
10602.53.51	21,0	7,0	26,0	14,0	14,0



MATERIALE | MATERIAL: PVC | PVC



D/N	DIMENSIONI Sizes					P/N	DIMENSIONI Sizes					
P/N	А	В	D	d	Н		P/IN	A	В	D	d	Н
10320.53.51	7,0	1,0	11,5	3,5	8,0		10383.53.51	12,0	3,0	18,0	10,0	10,0
10330.53.51	8,0	1,0	12,0	4,0	8,0		10390.53.51	15,0	2,0	20,5	7,0	7,0
10340.53.51	9,0	3,5	14,0	2,0	6,5		10391.53.51	15,0	2,0	20,5	8,0	7,0
10341.53.51	9,0	3,5	14,0	3,0	6,5		10392.53.51	15,0	2,0	20,5	9,0	7,0
10342.53.51	9,0	3,5	14,0	4,0	6,5		10393.53.51	15,0	2,0	20,5	10,0	7,0
10343.53.51	9,0	3,5	14,0	5,0	6,5		10394.53.51	15,0	2,0	20,5	11,0	7,0
10344.53.51	9,0	3,5	14,0	6,0	6,5		10395.53.51	15,0	2,0	20,5	12,0	7,0
10345.53.51	9,0	3,5	14,0	7,0	6,5		10396.53.51	15,0	2,0	20,5	13,0	7,0
10346.53.51	9,0	3,5	14,0	8,0	6,5		10410.53.51	18,0	2,0	23,0	10,0	8,0
10350.53.51	10,0	2,5	14,0	8,0	8,5		10411.53.51	18,0	2,0	23,0	11,0	8,0
10360.53.51	12,0	2,0	16,0	9,0	6,0		10412.53.51	18,0	2,0	23,0	12,0	8,0
10370.53.51	12,0	1,5	18,0	7,0	11,5		10413.53.51	18,0	2,0	23,0	13,0	8,0
10380.53.51	12,0	3,0	18,0	7,0	10,0	_	10414.53.51	18,0	2,0	23,0	14,0	8,0
10381.53.51	12,0	3,0	18,0	8,0	10,0		10415.53.51	18,0	2,0	23,0	15,0	8,0
10382.53.51	12,0	3,0	18,0	9,0	10,0		10416.53.51	18,0	2,0	23,0	16,0	8,0



MATERIALE | MATERIAL: PVC | PVC



D/N		DI	MENSIONI Sizes			TIPO
P/N	Α	В	D	d	Н	Туре
10420.53.51	18,0	2,0	24,0	10,0	7,5	
10421.53.51	18,0	3,0	24,0	10,0	8,5	
10422.53.51	18,0	4,0	24,0	10,0	9,5	
10423.53.51	18,0	2,0	24,0	11,0	7,5	<u></u> B <u></u>
10424.53.51	18,0	3,0	24,0	11,0	8,5	
10425.53.51	18,0	4,0	24,0	11,0	9,5	
10426.53.51	18,0	2,0	24,0	12,0	7,5	
10427.53.51	18,0	3,0	24,0	12,0	8,5	୭ ◀
10428.53.51	18,0	4,0	24,0	12,0	9,5	•
10429.53.51	18,0	2,0	24,0	13,0	7,5	
10430.53.51	18,0	3,0	24,0	13,0	8,5	
10431.53.51	18,0	4,0	24,0	13,0	9,5	
10432.53.51	18,0	2,0	24,0	14,0	7,5	
10433.53.51	18,0	3,0	24,0	14,0	8,5	
10434.53.51	18,0	4,0	24,0	14,0	9,5	Martine Company of the Company of th
10435.53.51	18,0	2,0	24,0	15,0	7,5	And the state of t
10436.53.51	18,0	3,0	24,0	15,0	8,5	
10437.53.51	18,0	4,0	24,0	15,0	9,5	The same of the sa
10438.53.51	18,0	2,0	24,0	16,0	7,5	Theman annument
10439.53.51	18,0	3,0	24,0	16,0	8,5	
10440.53.51	18,0	4,0	24,0	16,0	9,5	D
10445.53.51	21,0	2,0	28,0	16,0	8,0	_
10446.53.51	21,0	3,0	28,0	16,0	9,0	_
10447.53.51	21,0	4,0	28,0	16,0	10,0	
10620.53.51	10,0	19,0	13,5	4,0	25,0	<mark>B →</mark>
10621.53.51	10,0	19,0	13,5	5,0	25,0	
10622.53.51	10,0	19,0	13,5	6,0	25,0	
10623.53.51	10,0	19,0	13,5	7,0	25,0	
10624.53.51	10,0	19,0	13,5	8,0	25,0	D H


PASSACAVI APERTI | Open cable bushings



MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Nero | Black

AUTOESTINGUENZA | *UL FLAMMABILITY:* UL 94 - V2





P/N	DIMENSIONI Sizes			PANNELLO Panel		
F/N	Ø B	Н	Ø INTERNO Internal	Ø FORO Hole	SPESSORE Thickness	
42565.10.11	10,7	9,9	6,7	9,5	3,2	
42572.10.11	12,7	10,3	8,4	11,1	3,2	
00101.94.11	14,3	10,3	7,9	12,7	3,2	
42564.10.11	16,3	10,3	9,9	14,3	3,2	
42567.10.11	17,5	10,3	11,5	15,9	3,2	
00102.94.11	20,2	10,3	13,9	19,0	3,2	
42569.10.11	23,4	10,3	17,7	22,2	3,2	
42570.10.11	26,6	10,3	20,6	25,4	3,2	
42573.10.11	29,4	10,3	22,2	27,8	3,2	
42574.10.11	34,1	10,3	26,6	31,8	3,2	
42575.10.11	37,3	10,3	29,7	34,9	3,2	
42571.10.11	40,1	10,7	31,7	38,1	3,2	


PASSACAVI IN PLASTICA | Plastic cable bushings



MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Nero | Black

AUTOESTINGUENZA | *UL FLAMMABILITY:* UL 94 - V2






D/N		DIMENSION	II Sizes	PANNELLO Panel		
P/N	ØB H ØINTE		Ø INTERNO Internal	Ø FORO Hole	SPESSORE Thickness	
43400.10.11	7,9	7,9	3,2	6,4	1,0	
43404.10.11	7,9	7,9	3,2	6,4	1,6	
43405.10.11	9,5	7,9	4,8	7,9	1,6	
43407.10.11	11,9	10,3	4,8	9,5 9,5	3,2	
43408.10.11	11,9	10,3	6,4		3,2	
43409.10.11	11,9	10,3	7,1	9,5	4,4	
43411.10.11	13,5	10,3	6,8	11,1	3,2	
43414.10.11	14,5	10,3	6,4	12,7	3,2	
43415.10.11	14,5	10,3	7,9	12,7	3,2	
43418.10.11	16,7	10,3	7,9	14,3	3,2	
43619.10.11	16,7	10,3	9,9	14,3	3,2	
43621.10.11	16,7	10,3	11,1	14,3	3,2	
43622.10.11	18,2	10,3	6,4	15,9	3,2 3,2	
43623.10.11	18,2	10,3	11,1	15,9		
43624.10.11	18,2	10,3	12,7	15,9	3,2	
43650.10.11	17,9	13,5	12,7	15,9	7,1	
43627.10.11	19,8	10,3	12,7	17,4	3,2	
43628.10.11	19,8	10,3	14,3	17,4	3,2	
43828.10.11	21,6	10,3	9,9	19,1	3,2	
43829.10.11	21,6	10,3	12,7	19,1	3,2	
43830.10.11	21,6	10,3	14,3	19,1	3,2	
43831.10.11	21,6	10,3	15,5	19,1	3,2	
43651.10.11	21,0	13,5	15,9	19,1	6,4	
44033.10.11	22,6	10,3	14,3	20,6	3,2	
44034.10.11	22,6	10,3	15,9	20,6	3,2	
44035.10.11	24,2	11,5	9,5	22,2	3,2	
44036.10.11	24,2	11,5	11,1	22,2	3,2	
44037.10.11	24,2	11,5	12,7	22,2	3,2	
44038.10.11	24,2	11,5	14,3	22,2	3,2	
44039.10.11	24,2	11,5	15,9	22,2	3,2	
44040.10.11	24,2	11,5	17,5	22,2	3,2	

PASSACAVI STANDARD CON MEMBRANA CENTRALE



Standard cable bushings with central membrane

MATERIALE | MATERIAL: PVC | PVC






P/N	DIMENSIONI Sizes							
F/N	А	В	D	d	Н			
10710.53.51M	15,0	1,5	19,0	12,0	8,0			
10711.53.51M	15,0	2,5	19,0	12,0	9,0			
10712.53.51M	15,0	3,5	19,0	12,0	10,0			
10703.53.51M	18,5	2,0	23,0	11,0	8,0			
10713.53.51M	19,0	2,5	24,0	14,0	7,0			
10714.53.51M	20,5	2,0	24,0	13,5	7,5			
10720.53.51M	21,0	2,0	28,0	16,0	8,0			
10721.53.51M	21,0	3,0	28,0	16,0	9,0			
10722.53.51M	21,0	4,0	28,0	16,0	10,0			
10724.53.51M	21,0	2,0	28,0	17,5	8,0			
10730.53.51M	35,0	1,0	41,0	29,0	12,0			
10733.53.51M	26,0	2,0	34,0	21,0	8,0			
10735.53.51M	37,0	2,0	45,0	29,0	7,0			


PASSACAVI STANDARD CON MEMBRANA DECENTRATA



Standard cable bushings with decentralized membrane

MATERIALE | MATERIAL: PVC | PVC







P/N	DIMENSIONI Sizes							
P/N	Α	В	D	d	Н			
10275.53.51M	6,0	2,0	10,0	3,0	6,0			
10314.53.51M	9,0	3,0	12,0	5,5	7,0			
10010.53.51M	8,5	2,5	14,0	6,0	7,0			
10089.53.51M	11,5	3,0	14,5	10,0	11,0			
10104.53.51M	11,0	1,5	15,0	8,0	7,5			
10116.53.51M	10,0	1,5	15,0	8,0	6,0			
10145.53.51M	11,0	0,5	16,0	8,0	6,0			
10159.53.51M	11,5	3,0	16,0	6,0	8,0			
10172.53.51M	12,0	1,5	17,0	6,0	7,0			
10175.53.51M	12,0	1,5	17,0	9,0	7,0			
10180.53.51M	13,5	2,0	17,5	10,0	7,0			
10196.53.51M	15,0	1,5	18,5	9,0	8,0			
10220.53.51M	15,0	1,5	19,0	12,0	8,0			
10830.53.51M	24,0	2,0	32,0	15,5	8,5			
10831.53.51M	24,0	3,0	32,0	15,5	9,5			
10832.53.51M	24,0	4,0	32,0	15,5	10,5			
10833.53.51M	24,0	2,0	32,0	17,5	8,5			
10834.53.51M	24,0	3,0	32,0	17,5	9,5			
10835.53.51M	24,0	4,0	32,0	17,5	10,5			
10836.53.51M	24,0	2,0	32,0	19,5	8,5			
10837.53.51M	24,0	3,0	32,0	19,5	9,5			
10838.53.51M	24,0	4,0	32,0	19,5	10,5			

PASSACAVI STANDARD CON MEMBRANA FORATA



Standard cable bushings with perforated membrane

MATERIALE | MATERIAL: PVC | PVC



	P/N	DIMENSIONI Sizes					TIPO	
		А	В	D	d	Н	Туре	
	10670.53.51M	15,0	1,5	19,0	4,0	8,0	ъ В "	
	10671.53.51M	15,0	3,0	19,0	4,0	9,5		
	10672.53.51M	15,0	4,0	19,0	4,0	10,5		
	10680.53.51M	21,0	2,0	28,0	6,5	8,0		
	10681.53.51M	21,0	3,0	28,0	6,5	9,0	D H	
	10682.53.51M	21,0	4,0	28,0	6,5	10,0		
	10683.53.51M	34,0	2,0	39,0	9,0	7,0		
	10684.53.51M	34,0	3,0	39,0	9,0	8,0	_ B	
	10685.53.51M	34,0	4,0	39,0	9,0	9,0		
	10686.53.51M	34,0	2,0	39,0	13,0	7,0		
	10687.53.51M	34,0	3,0	39,0	13,0	8,0		
	10688.53.51M	34,0	4,0	39,0	13,0	9,0	D	
	10740.53.51M	58,0	2,0	67,0	47,0	10,0	· · · · · · · · · · · · · · · · · · ·	
	10745.53.51M	78,0	2,0	90,0	70,0	10,0		

NOTE

