




FASCETTE

CABLE STRAPS

FASCETTE STANDARD | *Standard straps*

CINTURINI AD ALTA RESISTENZA

Heavy duty Cable straps

ANCORAGGI PER FASCETTE

Cable straps anchorages

FASCETTE CON AGGANCIO A PINETTO PER ASOLA

Cable straps with tree anchor for bottonhole

FASCETTE CON AGGANCIO

Cable straps with anchor

FASCETTE CON AGGANCIO A PINETTO

Cable straps with tree anchor

FASCETTE CON FISSAGGIO A VITE

Screw mounting cable straps

FASCETTE STANDARD | Standard straps

FASCETTE PER CABLAGGI | Cable straps

MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS:

Naturale - Nero | Natural - Black


AUTOESTINGUENZA | UL FLAMMABILITY: V2 - UL 94

UL FILE | UL FILE: E 86244 (M)



P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A	
05203.07.10	98	2,5	21
05205.07.10	135	2,5	32
05209.07.10	140	3,5	32
05206.07.10	160	2,6	40
05211.07.10	160	4,5	40
05213.07.10	178	4,8	45
05207.07.10	200	2,6	52
05214.07.10	200	3,5	50
05215.07.10	200	4,5	50
05216.07.10	250	4,8	68
05210.07.10	290	3,5	80
05217.07.10	290	4,5	78
05219.07.10	360	4,5	100
05208.07.10	370	3,5	103

P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A	
05218.07.10	390	4,8	106
05220.07.10	430	4,5	115
05223.07.10	180	7,8	45
05235.07.10	225	12,5	57
05225.07.10	240	7,5	63
05226.07.10	300	7,5	80
05227.07.10	365	7,5	100
05229.07.10	450	7,5	130
05237.07.10	500	12,5	143
05231.07.10	540	7,5	158
05239.07.10	720	12,5	213
05233.21.10	750	7,5	220
05234.07.10	780	9	233
05241.07.10	850	12,5	255
05243.07.10	1000	12,5	302



FASCETTE STANDARD | Standard straps

FASCETTE RIAPRIBILI | Reusable cable straps


MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale - Nero | Natural - Black

AUTOESTINGUENZA | UL FLAMMABILITY: V2 - UL 94


UL FILE | UL FILE: E 86244 (M)


P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A	
05250.07.10	200	7,5	50
05252.07.10	250	7,5	65
05254.07.10	350	7,5	100




BELTURING**MATERIALE | MATERIAL:** Tecnopolimero elastomerizzato | *Elastomerized technopolymer***COLORI STANDARD | STANDARD COLOURS:** Nero | *Black***TESTINA SINGOLA | Single head "BELTURING"**

P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø	P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A			L	A	
06449.07.11	115	6,0	25	06451.07.11	180	9,0	40
06447.07.11	132	9,0	27	06452.07.11	290	6,0	78
06450.07.11	180	6,0	45	06454.07.11	360	6,0	100


**TESTINA DOPPIA | Double head "BELTURING"**





P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø	P/N	DIMENSIONI Sizes		Ø MAX FASCIO CAVI Max cable Ø
	L	A			L	A	
06453.07.11	260	9,0	60	06456.07.11	510	9,0	140
06448.07.11	300	9,0	80	06457.07.11	760	9,0	220
06455.07.11	360	9,0	93				




ANCORAGGI PER FASCETTE | Cable straps anchorages

MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale - Nero | Natural - Black


P/N	DIMENSIONI Sizes				MAX LARGH FASCETTA Max strap width	FISSAGGIO Anchor	COLORE Colore	TIPO Type
	A	B	C	D				
00426.94.10	13,6	9,0	6,0	3,0	3,5	Vite Screw	Naturale Natural	
05460.07.10	10,0	19,0	6,0	4,1	4,8	Vite Screw	Naturale Natural	
05498.07.10	9,5	15,0	7,0	3,5	4,8	Vite Screw	Naturale Natural	
05496.07.10	14,6	22,5	11,0	5,0	9,0	Vite Screw	Nero Black	



P/N	DIMENSIONI Sizes			MAX LARGH FASCETTA Max strap width	FISSAGGIO Anchor	PANNELLO Panel		TIPO Type
	A	B	C			Ø FORO Hole	SPESSORE Thickness	
10430.21.10	21,0	18,3	10,0	8,0	Aggancio Anchor	6,2	0,8 ÷ 3,2	

ANCORAGGI PER FASCETTE | Cable straps anchorages

MATERIALE | *MATERIAL:* Nylon 66 - ABS | PA 66 - ABS

COLORI STANDARD | *STANDARD COLOURS:* Naturale - Nero | Natural - Black

 A richiesta senza adesivo o con adesivo 3M | *Without adhesive or with 3M adhesive on demand*


P/N	DIMENSIONI Sizes			MAX LARGH FASCETTA Max strap width	FISSAGGIO Anchor	COLORE Colore	TIPO Type
	A	B	C				
A0993.97.10	25,0	25,0	6,0	7,5	Biadesivo - Vite Adhesive - Screw	Naturale Natural	MONODIREZIONALE 
05467.07.60R	19,0	19,0	5,0	3,6	Biadesivo - Vite Adhesive - Screw	Naturale Natural	
05469.07.61R	19,0	19,0	5,0	3,6	Biadesivo - Vite Adhesive - Screw	Nero Black	BIDIREZIONALE 
05473.07.60R	27,0	27	6,5	4,8	Biadesivo - Vite Adhesive - Screw	Naturale Natural	
05475.07.61	27,0	27	6,5	4,8	Biadesivo - Vite Adhesive - Screw	Nero Black	

FASCETTE CON AGGANCIO A PINETTO PER ASOLA


Cable straps with tree anchor for bottonhole

MATERIALE | MATERIAL: Nylon 66 - ABS | PA 66

COLORI STANDARD | STANDARD COLOURS: Nero | Black



P/N	DIMENSIONI Sizes		PANNELLO Panel		Ø MAX FASCIO CAVI Max cable Ø	Riapribile Reusable
	L	A	Ø FORO Hole	SPESSORE Thickness		
396010381077	140	4,9	6,2 x 12 7 x 12	0,67 ÷ 3	2 ÷ 32	NO
306133381077	117	4,5 ÷ 5,5	6,2 x 12,2 6,5 x 13 7 x 12	0,67 ÷ 3	1,5 ÷ 25	NO
300043381077	140	4,5 ÷ 5,5	6,2 x 12,2 6,5 x 13 7 x 12	0,67 ÷ 3	0,67 ÷ 32	NO




MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale - Nero | Natural - Black




AGGANCO CENTRALE A PINETTO | Central xmas tree anchor

P/N	DIMENSIONI Sizes		PANELLO Panel		Ø MAX FASCIO CAVI Max cable Ø	RIAPRIBILE Reusable
	L	A	Ø FORO Hole	SPESSORE Thickness		
08921.05.11	186	4,8	6,5	0,7 ÷ 3,5	5 ÷ 45	NO




AGGANCO IN TESTA | Head anchor


P/N	DIMENSIONI Sizes		PANELLO Panel		Ø MAX FASCIO CAVI Max cable Ø	RIAPRIBILE Reusable
	L	A	Ø FORO Hole	SPESSORE Thickness		
00082.95.10	100	4,8	6,5	0,6 ÷ 2,5	3 ÷ 20	SI
05447.21.10	137	4,9	6,5	0,6 ÷ 2,0	6 ÷ 35	SI
02651.70.10	140	6,5	6,0 ÷ 6,5	0,6 ÷ 2,5	8 ÷ 36	SI
09363.05.11	160	4,5	6,5	0,7 ÷ 3,0	1,5 ÷ 35	NO
300137381077	140	5	6,5	0,7 ÷ 3,0	2 ÷ 32	NO
307124381010	140	4,9	5,2	0,67 ÷ 3,0	0,7 ÷ 30	NO




P/N	DIMENSIONI Sizes					PANNELLO Panel	
	A	B	C	D	E	Ø FORO Hole	SPESSORE Thickness
00097.95.11	6	84	105,5	8,5	18	Ø 6,5	0,6 ÷ 2,0




Tutte le quote sono espresse in mm. Le quote indicate nel presente catalogo sono indicative. Possono essere da noi effettuate variazioni senza obbligo di preavviso.
All sizes in mm. The quotes indicated in this catalogue are indicative. We may make changes without notice.

MATERIALE | MATERIAL: Nylon 66 | PA 66**COLORI STANDARD** | STANDARD COLOURS: Naturale - Nero | Natural - Black**AGGANCIO CENTRALE A RIVETTO** | Central rivet anchor


P/N	DIMENSIONI Sizes		PANNELLO Panel		Ø MAX FASCIO CAVI Max cable Ø	Riapribile Reusable
	L	A	Ø FORO Hole	SPESSORE Thickness		
02207.94.11	160	7,0	8,0	0,5 ÷ 3,0	8 ÷ 40	SI

**AGGANCIO PER BORDO LAMIERA** | Panel edge anchor

P/N	DIMENSIONI Sizes		PANNELLO Panel		Ø MAX FASCIO CAVI Max cable Ø	Riapribile Reusable
	L	A	Ø FORO Hole	SPESSORE Thickness		
09451.05.11	195	4,8	-	0,7 ÷ 2,5	5 ÷ 40	NO

GRAFFETTA
METALLICA


307017310077	184,1	4,9	-	1,2 ÷ 2,5	1,5 ÷ 40	NO
--------------	-------	-----	---	-----------	----------	----



FASCETTE CON AGGANCIO | Cable straps with anchor

MATERIALE | MATERIAL: Nylon 66 | PA 66**COLORI STANDARD** | STANDARD COLOURS: Naturale | Natural**AUTOESTINGUENZA** | UL FLAMMABILITY: V2 - UL 94

P/N	DIMENSIONI Sizes		Ø MAX DIAMETRO Max diameter Ø	PANNELLO Panel		RIAPRIBILE Reusable
	L	A		Ø FORO Hole	SPESSORE Thickness	
04778.21.10	110	2,5	22	Ø 4,8	1,0 ÷ 2,4	NO
04779.21.10	130	3,3	28	Ø 4,0	1,0 ÷ 2,0	NO
04773.21.10	135	4,8	25	Ø 6,4	1,0 ÷ 3,2	NO
04775.21.10	175	4,8	38	Ø 6,4	1,0 ÷ 3,2	NO
04776.21.10	203	4,8	45	Ø 6,4	max 3,2	NO
00065.85.10N	100	4,5	15	6,2 ÷ 6,5	0,8 ÷ 2	NO
06638.65.31	140	8,0	32	7,0	0,7 ÷ 2,4	SI
07160.65.11	173	8,0	35	8,0	2,5 ÷ 4,0	SI
09085.02.11A	206	5,0	45	8,0	0,7 ÷ 3,5	NO



FASCETTE CON AGGANCIO A PINETTO

Cable straps with tree anchor


MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale - Nero | Natural - Black

AUTOESTINGUENZA | UL FLAMMABILITY: V2 - UL 94



P/N	DIMENSIONI Sizes			Pannello Panel		
	L	W	F	Ø FORO Hole	Spessore Thickness	Riapribile Riusable
00091.94.11T	207	4,8	8,0	6,0 ÷ 6,5	3,0 ÷ 6,0	NO
698145381077	171,4	5,8	14	6,5	0,8 ÷ 2,5	NO




FASCETTE CON FISSAGGIO A VITE | Screw mounting cable straps

MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Nero | Black




P/N	DIMENSIONI Sizes			Ø MAX FASCIO CAVI Max cable Ø
	L	A	D	
52150.21.10	152	3,6	4,9	32
52200.07.10S	200	4,8	5,2	50
52200.07.10H	200	7,8	6,5	44
52300.07.10H	300	7,8	6,5	75
52380.07.10H	380	7,8	6,5	104



P/N	DIMENSIONI Sizes						Ø MAX FASCIO CAVI Max cable Ø	TIPO Type
	A	B	C	L	S	D		

00107.94.10	10,0	8,4	10,0	21,0	1,2	4,2	6,0
-------------	------	-----	------	------	-----	-----	-----



MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale | Natural



P/N	DIMENSIONI Sizes		TIPO Type
	D	E	
12002.16.10	3,2	8,4	
12003.16.10	4,8	10,9	
12004.16.10	6,4	10,4	
12005.16.10	7,9	12,6	
12006.16.10	9,5	15,1	
12007.16.10	11,1	14,6	
12008.16.10	12,7	15,4	

P/N	DIMENSIONI Sizes		TIPO Type
	D	E	
12009.16.10	3,2	8,0	
12010.16.10	4,8	10,8	
12011.16.10	6,4	10,4	
12012.16.10	7,9	12,7	
12013.16.10	9,5	13,5	
12014.16.10	11,1	14,2	
12015.16.10	12,7	15,1	
12016.16.10	14,3	15,4	
12017.16.10	15,9	16,6	
12018.16.10	17,5	19,2	
12019.16.10	19,1	19,8	
12020.16.10	22,2	21,5	
12021.16.10	25,4	23,1	
12022.16.10	28,6	24,6	

Lined area for notes.