

FERMACAVI E FERMATUBI

WIRE - PIPE CLIPS

INSERIMENTO LATERALE | *Lateral insertion*

INSERIMENTO DALL'ALTO | *Upper insertion*

CHIUSURA TOTALE | *With complete closure*

CLIP STRINGITUBO | *Clip hose clamp*

TIPO "OMEGA" | *"OMEGA" Type*

ADESIVI | *Self adhesive*

PER CAVI PIATTI | *For flat cables*

PER BORDO LAMIERA | *Panel edge fixing*

CON FISSAGGIO A VITE | *With screw fixing*

MODULARI | *Modular*

PORTA CONNETTORI | *Connector holder*

PER NASTRO | *Tape on*


LACCI | *Wire ties*


LACCI CON AGGANCIO | *Wire ties with anchor*

SPECIALE | *Special cable clip*



INSERIMENTO LATERALE | Lateral insertion


MATERIALE | MATERIAL: Nylon 66 | PA 66**COLORI STANDARD** | STANDARD COLOURS: Naturale - Nero | Natural - Black

P/N	DIMENSIONI Sizes				PANNELLO Panel		AGGANCIO Anchor
	A	B	C	L	FORO Hole	SPESSORE Thickness	
00600.65.10	16,0	10,5	6,5	26,0	Ø 5,0	0,6 ÷ 1,7	
00174.65.11	9,0	7,5	6,3	23,5	Ø 6,5	0,5 ÷ 1,5	
00830.44.10	-	Ø 14,5	10,0	31,0	Ø 6,5	0,8 ÷ 2,0	
00329.65.11	16,0	10,5	7,5	29,5	Ø 6,5	0,8 ÷ 2,0	
05448.21.10	9,2	5,8	5,0	20,6	Ø 6,5	0,6 ÷ 2,0	
00301.03.10	-	Ø 4,8	9,0	16,0	Ø 6,5	1,0 ÷ 1,5	
00377.71.10	-	Ø 7,0	9,0	20,0	Ø 6,5	0,7 ÷ 1,2	
02796.65.10	-	Ø 11,0	9,0	24,0	Ø 6,5	1,5 ÷ 2,0	
04700.21.11	15,5	10,0	7,8	32,5	Ø 6,5	0,8 ÷ 6,0	
01194.94.11U	-	Ø 10,0	7,0	26,5	Ø 6,5	2,5 ÷ 7,5	

INSERIMENTO LATERALE | Lateral insertion


MATERIALE | **MATERIAL:** Nylon 66 | PA 66

COLORI STANDARD | **STANDARD COLOURS:** Naturale - Nero | Natural - Black




P/N	DIMENSIONI Sizes				PANNELLO Panel		AGGANCIO Anchor
	A	B	C	L	FORO Hole	SPESSORE Thickness	
00472.71.10	-	Ø 5,8	9,0	13,0	12,5 x 5,5	0,7 ÷ 1,2	
00025.91.10	-	Ø 11,0	9,0	19,5	12,5 x 5,5	0,7 ÷ 1,2	
01209.94.17U	-	Ø 11,0	9,0	24,0	15,5 x 6,5	0,7 ÷ 1,2	

INSERIMENTO DALL'ALTO | Upper insertion

MATERIALE | MATERIAL: Nylon 66 | PA 66**COLORI STANDARD** | STANDARD COLOURS: Naturale - Nero | Natural - Black

P/N	DIMENSIONI Sizes				PANNELLO Panel		AGGANCIO Anchor
	A	B	C	L	FORO Hole	SPESSORE Thickness	
00318.70.11U	-	Ø 15,0	8,0	35,0	Ø 6,5	0,8 ÷ 2,0	
00010.91.10	-	Ø 10,0	5,5	23,5	Ø 4,8 ÷ 5,0	0,6 ÷ 1,5	
05544.21.10	20,8	17,0	8,0	40,1	Ø 6,5	0,6 ÷ 2,0	
02282.79.10	22,0	23,0	8,0	39,0	Ø 6,5	0,8 ÷ 1,5	
01564.19.10	10,0	9,0	6,0	25,3	Ø 7,0	0,5 ÷ 2,5	
06137.94.11	-	Ø 10,0	14,0	28,5	Ø 8,0	1,0 ÷ 2,0	
00551.65.11	-	Ø 12,0	12,0	24,5	Ø 6,5	0,7 ÷ 2,0	

INSERIMENTO DALL'ALTO | Upper insertion


MATERIALE | MATERIAL: Nylon 66 | PA 66**COLORI STANDARD** | STANDARD COLOURS: Naturale - Nero | Natural - Black

P/N	DIMENSIONI Sizes				PANNELLO Panel		AGGANCIO Anchor
	A	B	C	L	FORO Hole	SPESSORE Thickness	
03421.94.10U	-	Ø 6,0	10,0	19,5	Ø 6,5	0,7 ÷ 1,5	
05867.02.11	-	Ø 5,0	9,5	19,2	Ø 7,0	0,7 ÷ 1,5	
00046.91.11	-	Ø 9,2	10,0	16,0	11,0 x 5,5	0,7 ÷ 0,8	
01416.94.11	-	Ø 8,0	15,0	19,0	12,5 x 5,5	1,5	



CHIUSURA TOTALE | With complete closure

MATERIALE | **MATERIAL:** Nylon 66 | PA 66


COLORI STANDARD | **STANDARD COLOURS:** Naturale - Nero | Natural - Black



P/N	DIMENSIONI Sizes				PANNELLO Panel		AGGANCIO Anchor
	A	B	C	L	FORO Hole	SPESSORE Thickness	
06281.05.11	10,0	10,0	10,0	26,0	Ø 6,5	0,7 ÷ 1,2	
01852.02.10L	13,0	13,0	12,0	33,0	Ø 6,5	0,7 ÷ 2,0	
01852.02.10	15,0	15,0	10,0	29,0	Ø 6,5	0,7 ÷ 2,0	
01853.71.11	20,0	20,0	12,0	33,0	Ø 6,5	0,7 ÷ 1,5	
06235.05.11	23,0	23,0	12,0	38,0	Ø 6,5	0,7 ÷ 2,0	
06827.94.11	28,0	28,0	15,0	47,0	Ø 6,5	0,7 ÷ 1,5	
06986.05.11	5,0	5,0	12,0	22,5	Ø 8,0	0,7 ÷ 1,5	
02654.02.11	15,0	15,0	10,0	29,0	Ø 8,0	0,7 ÷ 2,0	
06282.44.11	16,0	16,0	12,0	31,0	Ø 8,0	1,0 ÷ 2,0	
08173.71.11	18,0	18,0	10,0	32,0	Ø 8,0	0,7 ÷ 2,0	
02455.94.11	20,0	20,0	12,0	34,0	Ø 8,0	0,7 ÷ 2,0	
01856.65.11	15,0	27,0	13,0	30,0	Ø 8,0	0,7 ÷ 2,0	
01858.02.11	20,0	35,0	14,0	34,0	Ø 8,0	0,7 ÷ 2,0	
01862.02.11	28,0	45,0	15,0	41,0	Ø 8,0	0,7 ÷ 2,0	
04913.05.17	28,0	55,0	15,0	42,0	Ø 8,0	0,7 ÷ 2,0	
04436.94.11	15,0	15,0	10,0	33,0	Ø 8,0	5,0	
06755.94.11	23,0	23,0	15,0	37,0	Ø 9,0	0,7 ÷ 2,0	
05576.44.11	15,0	15,0	12,0	30,0	8,0 x 8,0	0,7 ÷ 2,0	
05735.05.11	10,0	10,0	12,0	29,0	8,0 x 9,0	0,7 ÷ 2,5	
04911.94.11	10,0	10,0	12,0	22,0	15,5 x 6,5	0,7 ÷ 1,2	
02285.91.11	15,0	14,0 ÷ 18,0	11,0	34,0	Ø 6,5	0,6 ÷ 1,5	
05722.65.11	10,0	10,0	12,0	27,0	Ø 8,0	0,7 ÷ 1,5	
04536.94.11	13,2	13,2	12,0	28,6	Ø 8,0	2,0	




CLIP STRINGITUBO | Clip hose clamp

MATERIALE | **MATERIAL:** Nylon 66 - Acetalica | PA 66 - POM**COLORI STANDARD** | **STANDARD COLOURS:** Naturale - Nero | Natural - Black**AUTOESTINGUENZA** | **UL FLAMMABILITY:** UL94 HB

P/N	DIMENSIONI Sizes				
	A	B	Ø Min	Ø Max	E
06870.21.40	28,0	21,9	11,1	13,4	5,9
06276.21.40	23,4	19,7	11,0	12,7	5,6
06627.21.41	26,2	21,9	15,0	15,8	6,0
06871.21.40	29,8	24,2	18,5	21,1	5,9
06872.21.40	33,4	26,7	19,4	22,8	6,0
06873.21.40	35,0	27,7	21,8	24,9	5,9
06874.21.40	37,8	29,6	25,0	28,7	7,4
06875.21.40	40,6	29,5	28,3	32,5	7,3
06876.21.40	48,6	34,3	38,5	40,0	7,4
01361.94.10	24,5	21,3	18,7	20,0	6,0
00092.94.10	24,0	20,2	16,5	18,1	6,0
10288.94.40	27,8	21,8	10,7	12,8	5,9
10020.94.41	12,2	17,6	9,3	10,5	5,9

TIPO "OMEGA" | "OMEGA" Type


MATERIALE | *MATERIAL:* Nylon 66 | PA 66

COLORI STANDARD | *STANDARD COLOURS:* Naturale - Nero | Natural - Black


P/N	DIMENSIONI Sizes					PANNELLO Panel	
	A	B	C	D	L	FORO Hole	SPESSORE Thickness
01365.91.10	12,0	16,0	8,0	6,0	27,0	Ø 6,0	0,5 ÷ 2,0
00048.91.10	5,0	8,5	8,0	5,0	13,0	Ø 6,5	1,0 ÷ 3,0
00061.91.10	6,8	6,8	8,0	5,0	17,5	Ø 6,5	1,0 ÷ 2,5
00679.91.11	6,6	6,6	7,8	5,0	19,0	Ø 6,5	2,5 ÷ 4,0

MATERIALE | **MATERIAL:** Nylon 66 - Adesivo base gomma - Acrilico | **PA 66** - Adhesive rubber base - Acrylic base

COLORI STANDARD | **STANDARD COLOURS:** Naturale - Nero | *Natural - Black*






P/N	DIMENSIONI Sizes				Ø MAX DI CAVI Max cables Ø
	A	B	C	D	
05430.07.10R	19,0	19,0	5,0	4,9	5,0
A2692.96.10	25,0	25,0	8,5	11,5	8,0
05432.07.10B	26,0	26,0	8,0	12,0	8,0
A2560.97.11	22,0	22,0	10,0	18,0	11,0
A1086.96.10	25,0	25,0	14,5	18,0	16,0
03801.71.11	30,0	16,0	5,0	10,0	2 x 5,0

PER CAVI PIATTI | For flat cables

MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale | Natural






P/N	DIMENSIONI Sizes					TIPO DI FISSAGGIO Anchorage	TIPO Type
	A	B	C	D	L		
A1684.97.10	16,0	16,0	7,0	10,0	-	ADESIVO Adhesive	
01686.94.10	16,0	44,0	8,0	12,0	33,5	VITE Screw	
A1686.97.10	16,0	44,0	8,0	13,0	33,5	ADESIVO Adhesive	
01688.94.10	16,0	62,0	8,0	12,0	51,5	VITE Screw	
A1688.97.10	16,0	62,0	8,0	13,0	51,5	ADESIVO Adhesive	

PER BORDO LAMIERA | Panel edge fixing

MATERIALE | MATERIAL: Nylon 66 | PA 66


COLORI STANDARD | STANDARD COLOURS: Naturale - Nero | Natural - Black


P/N	DIMENSIONI Sizes					SPESSORE Thickness	TIPO Type
	A	B	L	D	I		
A2460.96.11	22,0	Ø 8,5	21,0	15,0	8,0	0,7 ÷ 2,5	 MOLLETTA METALLICA METAL CLIP
00512.65.11	12,2	Ø 10,0	19,3	15,5	8,0	0,8 ÷ 1,5	
07118.71.11	15,0	Ø 10,0	21,0	15,0	8,5	1,0 ÷ 2,5	
03868.71.11	15,0	Ø 13,0	25,3	24,6	11,0	0,7 ÷ 2,5	 MOLLETTA METALLICA METAL CLIP
04547.05.11	15,0	Ø 17,0	30,0	28,5	13,0	1,0 ÷ 2,5	
03646.71.11	16,0	Ø 23,0	38,2	43,0	15,0	1,0 ÷ 2,5	
A8406.96.11	18,0	15 x 26	37,5	43,3	12,0	0,7 ÷ 2,5	 MOLLETTA METALLICA METAL CLIP
07228.06.11	10,8	Ø 10÷15		11,1	9,8	0,7 ÷ 2,0	


CON FISSAGGIO A VITE | With screw fixing

MATERIALE | MATERIAL: Nylon 66 | PA 66**COLORI STANDARD** | STANDARD COLOURS: Naturale - Nero | Natural - Black

P/N	DIMENSIONI Sizes								TIPO Type
	Ø	A	B	C	D	E	F	S	
00225.94.10U	7,5	13,0	7,0	4,3	3,0	14,0	6,0	10,0	
00678.70.10U	14,5	24,0	-	5,0	1,8	20,0	7,5	12,0	
04824.65.11	20,0	49,5	13,0	6,0	3,0	8,0	22,0	16,0	+ Boccola metallica Metal grommet
03001.94.10	23,0	46,0	14,5	5,5	3,0	7,5	26,0	16,0	
03001.94.11A	23,0	46,0	14,5	6,5	3,0	7,5	26,0	16,0	
05529.05.11A	33,0	51,0	16,5	6,5	4,0	7,5	28,0	16,0	


MODULARI | *Modular***MATERIALE** | *MATERIAL:* Nylon 66 | PA 66**COLORI STANDARD** | *STANDARD COLOURS:* Nero | Black

P/N	DIMENSIONI Sizes						TIPO Type
	Ø	S	A	B	C	D	
03828.65.11	6,0	11,0	14,0	7,0	5,0	7,0	
03826.65.11	8,0	11,0	14,0	8,0	6,0	7,0	
03861.44.11	10,0	11,0	14,0	9,0	7,0	7,0	
03860.65.11	12,0	11,0	14,0	9,7	7,8	7,0	
03943.65.11	14,0	11,0	14,0	11,5	9,5	7,0	
03945.94.11	18,0	11,0	14,0	14,0	12,0	7,0	
03946.65.11	20,0	11,0	14,0	15,3	13,2	7,0	
04441.94.11	22,0	11,0	14,0	16,3	14,3	7,0	
06455.03.11	27,0	11,0	14,0	19,0	17,0	7,0	




MODULARI | Modular

MATERIALE | **MATERIAL:** Nylon 66 | PA 66

COLORI STANDARD | **STANDARD COLOURS:** Nero | Black


P/N	DIMENSIONI Sizes						TIPO Type
	Ø	S	A	B	C	D	
03919.65.11	5,0	11,0	14,0	7,5	5,5	7,0	
03920.05.11	6,3	11,0	14,0	9,0	7,0	7,0	
03947.05.11	8,0	11,0	14,0	10,5	8,5	7,0	
05554.65.11	10,0	11,0	14,0	11,3	10,0	7,0	
06071.05.11	12,0	11,0	14,0	11,5	11,5	7,0	
06072.65.11	16,0	11,0	14,0	14,0	14,0	7,0	



PORTA CONNETTORI | Connector holder


MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Nero | Black




PER FISSAGGIO SU PERNI | For pins fixing

P/N	DIMENSIONI Sizes		Ø PERNO Pin Ø	Ø MAX FASCIO CAVI Max cable Ø
	L	LARGH		
309268381077	45	60	5 x 14	2 x 17



PER FISSAGGIO SU ASOLA | For bottomhole fixing

P/N	DIMENSIONI Sizes		SPESSORE Thickness	Ø FORO Hole	Ø MAX FASCIO CAVI Max cable Ø
	L	LARGH			
392002381013	-	49	0,7 ÷ 2,5	6,2 x 12,2	6 ÷ 20





PORTA CONNETTORI | Connector holder

MATERIALE | *MATERIAL:* Nylon 66 - Nylon 46 | PA 66 - PA 46

COLORI STANDARD | *STANDARD COLOURS:* Nero - Grigio | Black - Grey


P/N	DIMENSIONI Sizes		COLORE Colour	MATERIALE Material
	Ø	SPESSORE Thickness		
304134381013	6,2 x 12,2 7 x 12	0,7 ÷ 4	NERO Black	PA 66
312114387013	6,2 x 12,2	0,7 ÷ 4	GRIGIO Grey	PA 46



PER NASTRO | Tape on


MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Nero | Black



P/N	DIMENSIONI Sizes			SPESSORE Thickness	Ø MAX FASCIO CAVI Max cables Ø	COLORE Colour	MATERIALE Material	
	L	LARGH	Ø					
300045381013	35,8	9,7	6,5 ÷ 6,9	0,6 ÷ 5,1	3 ÷ 30	NERO Black	PA 66	
302D82381014	51	10	6,2 x 12,2 7 x 12	0,7 ÷ 4	-	NERO Black	PA 66	
303123381013	41	8	6,2 x 12,2	0,5 ÷ 3	3 ÷ 25	NERO Black	PA 66	
318029381012	42,4	9,7 (11,6)	6,5	0,7 ÷ 4	3 ÷ 12	NERO Black	PA 66	

STANDARD | Standard

MATERIALE | MATERIAL: Nylon 66 | PA 66**COLORI STANDARD** | STANDARD COLOURS: Naturale - Nero - Bianco | Natural - Black - White


P/N	DIMENSIONI Sizes	
	MAX Ø A	L
00055.95.10	8,5	25,0
00056.95.10	12,5	30,0
08343.21.11	13,5 ÷ 16,0	35,0
08344.21.12	17,0 ÷ 20,0	40,0
06173.21.10	25,8	41,4
06174.21.10	29,0	55,5
00058.91.10	35,0	56,0
12894.94.10	13,5 ÷ 16,5	35



LACCI CON AGGANCIAMENTO | Wire ties with anchor

MATERIALE | MATERIAL: Nylon 66 | PA 66

COLORI STANDARD | STANDARD COLOURS: Naturale | Natural

AUTOESTINGUENZA | UL FLAMMABILITY: V2 - UL 94




P/N	DIMENSIONI Sizes				PANNELLO Panel		TIPO Type
	A	D (Chiuso Closed)	H	L	Ø FORO Hole	SPESSORE Thickness	
06274.21.10	4,8	5,4	8,0	32,5	4,8	0,8 - 2,0	Tipo 1 - Type 1 
06540.21.10	3,1	6,1	10,6	33,8	4,8 - 5,0	0,8 - 3,0	
06541.21.10	20,0	6,1	10,6	51,0	4,8 - 5,0	0,8 - 3,0	
06542.21.10	35,3	6,1	10,6	66,0	4,8 - 5,0	0,8 - 3,0	
06551.21.10	10,5	6,8	10,6	43,8	5,0	1,2 - 2,8	
06552.21.10	5,6	7,0	10,0	34,7	4,8 - 5,0	0,8 - 2,0	
06549.21.10	15,8	9,7	10,6	53,1	4,8 - 5,0	0,8 - 3,0	
06543.21.10	2,8	9,8	10,6	39,6	4,8 - 5,0	0,8 - 3,0	
06544.21.10	20,0	9,8	10,6	56,8	4,8 - 5,0	0,8 - 3,0	
06545.21.10	35,2	9,8	10,6	71,5	4,8 - 5,0	0,8 - 3,0	
06546.21.10	3,0	13,8	10,6	42,0	4,8 - 5,0	0,8 - 3,0	
06114.21.10	20,4	13,8	10,6	59,3	4,8 - 5,0	0,8 - 3,0	
06115.21.10	35,8	13,8	10,6	74,7	4,8 - 5,0	0,8 - 3,0	
06547.21.10	16,2	18,4	10,6	63,5	4,8 - 5,0	0,8 - 3,0	
06550.21.10	5,0	18,7	11,8	55,3	4,8 - 5,0	0,8 - 3,0	
06548.21.10	3,0	22,3	9,8	56,8	4,8 - 5,0	0,8 - 2,5	
00052.21.10	12,3	12,5	10,5	54,0	6,5	0,5 - 2,0	Tipo 2 - Type 2 
06538.21.10	3,0	7,2	5,5	26,7	4,0	0,8 - 2,2	
06536.21.10	34,0	5,0	7,5	59,8	4,8	0,8 - 2,2	
06539.21.10	43,5	10,1	7,9	78,1	4,8	0,8 - 2,2	
06537.21.10	4,5	10,4	7,5	37,7	4,8	0,8 - 2,2	
06535.21.10	21,0	10,4	7,5	56,5	4,8	0,8 - 2,2	

SPECIALE | Special cable clip



MATERIALE | MATERIAL: Nylon 66 | PA 66
COLORI STANDARD | STANDARD COLOURS: Giallo | Yellow



P/N	DIMENSIONI Sizes		
	L	Width	ALTEZZA Height
314172386013	74,72	50	29,9

